U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Caribbean Islands Region

See ERDC/EL TR-11-4; the proponent agency is CECW-COR

OMB Control #: 0710-0024, Exp: 04/30/2024 Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)

Project/Site:	Municipality/Town:_		Sampling Date:
•		PR or USVI:	Sampling Point:
Investigator(s):		Vard/Estate:	
Landform (hillside, terrace, etc.):			
Lat:Lc		<u></u>	<u> </u>
Soil Map Unit Name:			assification:
Are climatic / hydrologic conditions on the site typic	cal for this time of year? Yes	No (If no	o, explain in Remarks.)
Are Vegetation , Soil , or Hydrology	significantly disturbed? Are "No	ormal Circumstances" pres	sent? Yes No
Are Vegetation , Soil , or Hydrology		led, explain any answers i	
SUMMARY OF FINDINGS – Attach site		int locations, transe	cts, important features, etc.
Hydrophytic Vegetation Present? Yes Hydric Soil Present? Yes Wetland Hydrology Present? Yes	No Is the Samp No within a We		No
Remarks:			
VEGETATION – Use scientific names of	nlante		
VEGETATION – Ose scientific flames of	Absolute Dominant Indica	ator	
Tree Stratum (Plot size:)	% Cover Species? Stat		worksheet:
1		Number of Domin	nant Species That or FAC:(A)
3.		Total Number of	Dominant Species
4		Across All Strata	(B)
5	=Total Cover	Percent of Domir Are OBL, FACW,	nant Species That or FAC: (A/B)
Sapling/Shrub Stratum (Plot size:		Dunyalamaa luuda	
1.		Prevalence Inde	
2. 3.		OBL species	
4.		FACW species	
5.		FAC species	
	=Total Cover	FACU species	x 4 =
Herb Stratum (Plot size:)		UPL species	x 5 =
1.		Column Totals:	
2.		Prevalence Inc	lex = B/A =
3.		Uhadaa ahadia Ma	
4 5.			getation Indicators: st for Hydrophytic Vegetation
			ce Test is >50%
			ce Index is ≤3.0 ¹
7. 8.			Hydrophytic Vegetation ¹ (Explain)
	=Total Cover		Iric soil and wetland hydrology must
Woody Vine Stratum (Plot size:)		s disturbed or problematic.
1		Hydrophytic	
2	=Total Cover	Vegetation Present?	Yes No
Remarks:		•	

SOIL Sampling Point:

inches)	~				. 1	. 2	_				
	Color (moist) %	Color (moist)	<u>%</u> T	ype ¹	Loc ²	Text	ture		Remarks	
,											
								0			
•		Depletion, RM	I=Reduced Matrix,	MS=Masked	d Sand	Grains.				ning, M=Mat	
lydric Soil Inc										matic Hydric	: Soils*:
Histosol (A	1)		Sandy Gl	eyed Matrix	(S4)			Stratif	ied Layers (A	\ 5)	
Histic Epipe	edon (A2)		Sandy Re	edox (S5)				Red P	arent Materi	al (F21)	
Black Histic	c (A3)		Stripped I	Matrix (S6)				Very S	Shallow Dark	Surface (F2	2)
Hydrogen S	Sulfide (A4)		Dark Surf	ace (S7)				Other	(Explain in F	Remarks)	
Organic Bo	dies (A6)		Loamy Gl	eyed Matrix	(F2)						
	y Mineral (A7)			Matrix (F3)	. ,						
Muck Prese				ark Surface ((F6)			3Indicators	of hydrophy	rtic vegetatio	n and
	elow Dark Su	face (A11)		Dark Surfac	` '					must be pre	
	Surface (A12)	, ,		epressions (I	, ,					r problemation	
				- pressions (1	0)			unios	distarbed o	Probleman	,.
Restrictive Lay	yer (if observ	ea):									
Type:											
Depth (Inch	nes):						Hydric Sc	oil Present	?	Yes	No
Remarks:	, <u> </u>						.,,				
Remarks:	· -										
Remarks:	· -										
	Y	ors:									
Remarks: YDROLOG Vetland Hydro	Y blogy Indicate		ired; check all that	apply)				Secondary	v Indicators (minimum of	two require
Remarks: YDROLOG Vetland Hydro	Y plogy Indicate ors (minimum			apply) ained Leave	s (B9)			-	/ Indicators (ce Soil Crack		two require
YDROLOG Vetland Hydro	Y blogy Indicate ors (minimum ater (A1)		Water-Sta		s (B9)			Surfac	e Soil Crack		•
YDROLOG Vetland Hydro Primary Indicate Surface Wa	Y blogy Indicate ors (minimum ater (A1) Table (A2)		Water-Sta	ained Leave				Surface Spars	e Soil Crack	s (B6) d Concave S	•
YDROLOG Vetland Hydro Primary Indicat Surface Wa High Water Saturation	Y Dlogy Indicate ors (minimum ater (A1) Table (A2) (A3)		Water-Sta Aquatic F Hydrogen	ained Leave auna (B13)	or (C1)	iving Ro		Surface Spars Draina	ce Soil Crack ely Vegetate	s (B6) d Concave S (B10)	•
YDROLOG Vetland Hydro Primary Indicate Surface Wa High Water Saturation (Water Mark	y plogy Indicate ors (minimum ater (A1) Table (A2) (A3) (s (B1)		Water-Sta Aquatic F Hydrogen Oxidized	ained Leave auna (B13) Sulfide Odo Rhizosphere	or (C1) es on L	U		Surface Spars Draina Dry-Se	ce Soil Crack ely Vegetate age Patterns eason Water	ss (B6) d Concave S (B10) Table (C2)	Surface (B8
YDROLOG Vetland Hydro Surface Wa High Water Saturation (Water Mark	yology Indicate ors (minimum ater (A1) Table (A2) (A3) (xs (B1) Deposits (B2)		Water-Sta Aquatic F Hydrogen Oxidized Presence	ained Leave auna (B13) Sulfide Odo Rhizosphere of Reduced	or (C1) es on L I Iron (0	C4)	oots (C3)	Surface Spars Draina Dry-S Satura	ce Soil Crackely Vegetate age Patterns eason Water ation Visible	ss (B6) d Concave S (B10) Table (C2) on Aerial Ima	Surface (B8
YDROLOG Vetland Hydro Primary Indicate Surface Wa High Water Saturation (Water Mark Sediment D Drift Depos	Y Dlogy Indicate ors (minimum ater (A1) Table (A2) (A3) (xs (B1) Deposits (B2) its (B3)		Water-Sta Aquatic F Hydrogen Oxidized Presence Recent In	ained Leave auna (B13) Sulfide Odd Rhizosphere of Reduced on Reduction	or (C1) es on L I Iron (C n in Till	C4)	oots (C3)	Surface Spars Draina Dry-S Satura	ce Soil Crack ely Vegetate age Patterns eason Water ation Visible orphic Positi	ss (B6) d Concave S (B10) Table (C2) on Aerial Ima on (D2)	Surface (B8
YDROLOG Vetland Hydro Primary Indicat Surface Wa High Water Saturation (Water Mark Sediment E Drift Depos Algal Mat o	yology Indicate ors (minimum ater (A1) Table (A2) (A3) (A3) (A5) (A5) (A5) (A5) (A5) (A5) (A5) (A5		Water-Sta Aquatic F Hydrogen Oxidized Presence Recent In	ained Leaver auna (B13) Sulfide Odo Rhizosphere of Reduced on Reduction k Surface (C	or (C1) es on L I Iron (C n in Till	C4)	oots (C3)	Surface Spars Spars Draina Dry-S Satura Geom Shallo	ce Soil Crack ely Vegetate age Patterns eason Water ation Visible orphic Positi w Aquitard (is (B6) d Concave S (B10) Table (C2) on Aerial Ima on (D2)	Surface (B8
YDROLOG Vetland Hydro Primary Indicate Surface Wa High Water Saturation (Water Mark Sediment D Drift Depos Algal Mat o	Y Dology Indicate ors (minimum ater (A1) Table (A2) (A3) (xs (B1) Deposits (B2) dits (B3) or Crust (B4) its (B5)	of one is requ	Water-Sta Aquatic F Hydrogen Oxidized Presence Recent In Thin Muc Fiddler Ci	ained Leaver auna (B13) a Sulfide Odo Rhizosphere of Reduced on Reduction k Surface (C rab Burrows	or (C1) es on L I Iron (C n in Till (C7) (C10)	C4)	oots (C3)	Surface Spars Spars Draina Dry-S Satura Geom Shallo	ce Soil Crack ely Vegetate age Patterns eason Water ation Visible orphic Positi	is (B6) d Concave S (B10) Table (C2) on Aerial Ima on (D2)	Surface (B8
YDROLOG Vetland Hydro Primary Indicate Surface Water Mark Sediment D Drift Depos Algal Mat o Iron Deposi	yology Indicate ors (minimum ater (A1) Table (A2) (A3) (S (B1) Deposits (B2) its (B3) or Crust (B4) its (B5) Visible on Aer		Water-Sta Aquatic F Hydrogen Oxidized Presence Recent In Thin Muc Fiddler Ci	ained Leaver auna (B13) Sulfide Odo Rhizosphere of Reduced on Reduction k Surface (C	or (C1) es on L I Iron (C n in Till (C7) (C10)	C4)	oots (C3)	Surface Spars Spars Draina Dry-S Satura Geom Shallo	ce Soil Crack ely Vegetate age Patterns eason Water ation Visible orphic Positi w Aquitard (is (B6) d Concave S (B10) Table (C2) on Aerial Ima on (D2)	Surface (B8
YDROLOG Vetland Hydro Primary Indicate Surface Water Mark Saturation of Water Mark Sediment D Drift Depose Algal Mat of Iron Depose Inundation	Y Dology Indicate ors (minimum ater (A1) Table (A2) (A3) (s (B1) Deposits (B2) its (B3) or Crust (B4) its (B5) Visible on Aer tions:	of one is requi	Water-Sta Aquatic F Hydrogen Oxidized Presence Recent In Thin Muc Fiddler Ci Other (Ex	ained Leaver auna (B13) a Sulfide Odo Rhizosphere of Reduced on Reduction k Surface (C rab Burrows	or (C1) es on L I Iron (C n in Till (C7) (C10) narks)	C4)	oots (C3)	Surface Spars Spars Draina Dry-S Satura Geom Shallo	ce Soil Crack ely Vegetate age Patterns eason Water ation Visible orphic Positi w Aquitard (is (B6) d Concave S (B10) Table (C2) on Aerial Ima on (D2)	Surface (B8
YDROLOG Vetland Hydro Primary Indicat Surface Wa High Water Saturation (Water Mark Sediment E Drift Depos Algal Mat o Iron Deposi Inundation	yology Indicate ors (minimum ater (A1) Table (A2) (A3) (A3) (A5) (A5) (A5) (A5) (A5) (A5) (A5) (A5	of one is requi ial Imagery (B	Water-Sta Aquatic F Hydrogen Oxidized Presence Recent In Thin Muc Fiddler Ci Other (Ex	ained Leaver auna (B13) a Sulfide Odo Rhizosphere of Reduced on Reduction k Surface (C rab Burrows splain in Ren	or (C1) es on L I Iron (I n in Till C7) (C10) narks)	C4)	oots (C3)	Surface Spars Spars Draina Dry-S Satura Geom Shallo	ce Soil Crack ely Vegetate age Patterns eason Water ation Visible orphic Positi w Aquitard (is (B6) d Concave S (B10) Table (C2) on Aerial Ima on (D2)	Surface (B8
YDROLOG Vetland Hydro Primary Indicate Surface Water Saturation (Water Mark Sediment E Drift Depos Algal Mat o Iron Deposi Inundation Surface Water Vater Table Pr	yology Indicate ors (minimum ater (A1) Table (A2) (A3) (A3) (A3) (A3) (A4) (A5) (A5) (A5) (A5) (A5) (A5) (A5) (A5	of one is required ial Imagery (B	Water-Sta Aquatic F Hydrogen Oxidized Presence Recent In Thin Muc Fiddler Ci Other (Ex	ained Leaver auna (B13) a Sulfide Odd Rhizosphere of Reduced on Reduction k Surface (C rab Burrows plain in Ren Depth (inch	or (C1) es on L I Iron ((n in Till C7) (C10) narks) nes): nes):	C4)	oots (C3)	Surface Spars Draina Dry-S Satura Geom Shallo FAC-N	ce Soil Crackely Vegetate age Patterns eason Water ation Visible orphic Positi w Aquitard (Neutral Test	is (B6) d Concave S (B10) Table (C2) on Aerial Ima on (D2) D3) (D5)	Surface (B8
YDROLOG Vetland Hydro Primary Indicate Surface Wa High Water Saturation (Water Mark Sediment D Drift Depos Algal Mat o Iron Deposi Inundation Gield Observat Surface Water Vater Table Preseturation Prese	Y Dology Indicate ors (minimum ater (A1) Table (A2) (A3) (S (B1) Deposits (B2) its (B3) or Crust (B4) its (B5) Visible on Aer tions: Present? esent?	of one is requi ial Imagery (B	Water-Sta Aquatic F Hydrogen Oxidized Presence Recent In Thin Muc Fiddler Ci Other (Ex	ained Leaver auna (B13) a Sulfide Odo Rhizosphere of Reduced on Reduction k Surface (C rab Burrows splain in Ren	or (C1) es on L I Iron ((n in Till C7) (C10) narks) nes): nes):	C4)	oots (C3)	Surface Spars Draina Dry-S Satura Geom Shallo FAC-N	ce Soil Crack ely Vegetate age Patterns eason Water ation Visible orphic Positi w Aquitard (is (B6) d Concave S (B10) Table (C2) on Aerial Ima on (D2)	Surface (B8
YDROLOG Vetland Hydro Primary Indicate Surface Water Mark Sediment D Drift Depos Algal Mat o Iron Deposi Inundation Sield Observate Surface Water Table Presence Includes capillate	yology Indicate ors (minimum ater (A1) Table (A2) (A3) (S (B1) Deposits (B2) its (B3) or Crust (B4) its (B5) Visible on Aer tions: Present? esent? esent? eary fringe)	ial Imagery (B Yes Yes Yes	Water-Sta Aquatic F Hydrogen Oxidized Presence Recent In Thin Muc Fiddler Ci Other (Ex	ained Leave: auna (B13) a Sulfide Odd Rhizosphere of Reduced on Reduction k Surface (C rab Burrows plain in Ren Depth (inch Depth (inch	or (C1) es on L I Iron ((n in Till C7) (C10) narks) nes): nes): nes):	C4) led Soils	oots (C3)	Surface Spars Draina Dry-S Satura Geom Shallc FAC-N	ce Soil Crackely Vegetate age Patterns eason Water ation Visible orphic Positi w Aquitard (Neutral Test	is (B6) d Concave S (B10) Table (C2) on Aerial Ima on (D2) D3) (D5)	Surface (Ba
YDROLOG Vetland Hydro Primary Indicate Surface Wa High Water Saturation (Water Mark Sediment D Drift Depos Algal Mat o Iron Deposi Inundation Sield Observate Surface Water Vater Table Presented on Presented Surface Capilla	yology Indicate ors (minimum ater (A1) Table (A2) (A3) (S (B1) Deposits (B2) its (B3) or Crust (B4) its (B5) Visible on Aer tions: Present? esent? esent? eary fringe)	ial Imagery (B Yes Yes Yes	Water-Sta Aquatic F Hydrogen Oxidized Presence Recent In Thin Muc Fiddler Ci Other (Ex	ained Leave: auna (B13) a Sulfide Odd Rhizosphere of Reduced on Reduction k Surface (C rab Burrows plain in Ren Depth (inch Depth (inch	or (C1) es on L I Iron ((n in Till C7) (C10) narks) nes): nes): nes):	C4) led Soils	oots (C3)	Surface Spars Draina Dry-S Satura Geom Shallc FAC-N	ce Soil Crackely Vegetate age Patterns eason Water ation Visible orphic Positi w Aquitard (Neutral Test	is (B6) d Concave S (B10) Table (C2) on Aerial Ima on (D2) D3) (D5)	Surface (Ba
YDROLOG Vetland Hydro Primary Indicate Surface Wa High Water Saturation (Water Mark Sediment D Drift Depos Algal Mat o Iron Deposi Inundation Sield Observate Surface Water Vater Table Presented on Presented Surface Capilla	yology Indicate ors (minimum ater (A1) Table (A2) (A3) (S (B1) Deposits (B2) its (B3) or Crust (B4) its (B5) Visible on Aer tions: Present? esent? esent? eary fringe)	ial Imagery (B Yes Yes Yes	Water-Sta Aquatic F Hydrogen Oxidized Presence Recent In Thin Muc Fiddler Ci Other (Ex	ained Leave: auna (B13) a Sulfide Odd Rhizosphere of Reduced on Reduction k Surface (C rab Burrows plain in Ren Depth (inch Depth (inch	or (C1) es on L I Iron ((n in Till C7) (C10) narks) nes): nes): nes):	C4) led Soils	oots (C3)	Surface Spars Draina Dry-S Satura Geom Shallc FAC-N	ce Soil Crackely Vegetate age Patterns eason Water ation Visible orphic Positi w Aquitard (Neutral Test	is (B6) d Concave S (B10) Table (C2) on Aerial Ima on (D2) D3) (D5)	Surface (Ba
YDROLOG Vetland Hydro Primary Indicate Surface Wa High Water Saturation (Water Mark Sediment D Drift Depos Algal Mat o Iron Deposi Inundation Sield Observate Surface Water Vater Table Presented on Presented Surface Capilla	yology Indicate ors (minimum ater (A1) Table (A2) (A3) (S (B1) Deposits (B2) its (B3) or Crust (B4) its (B5) Visible on Aer tions: Present? esent? esent? eary fringe)	ial Imagery (B Yes Yes Yes	Water-Sta Aquatic F Hydrogen Oxidized Presence Recent In Thin Muc Fiddler Ci Other (Ex	ained Leave: auna (B13) a Sulfide Odd Rhizosphere of Reduced on Reduction k Surface (C rab Burrows plain in Ren Depth (inch Depth (inch	or (C1) es on L I Iron ((n in Till C7) (C10) narks) nes): nes): nes):	C4) led Soils	oots (C3)	Surface Spars Draina Dry-S Satura Geom Shallc FAC-N	ce Soil Crackely Vegetate age Patterns eason Water ation Visible orphic Positi w Aquitard (Neutral Test	is (B6) d Concave S (B10) Table (C2) on Aerial Ima on (D2) D3) (D5)	Surface (B8
YDROLOG Vetland Hydro Primary Indicate Surface Wa High Water Saturation (Water Mark Sediment D Drift Depos Algal Mat o Iron Deposi Inundation Sield Observate Surface Water Vater Table Presented on Presented Surface Capilla	yology Indicate ors (minimum ater (A1) Table (A2) (A3) (S (B1) Deposits (B2) its (B3) or Crust (B4) its (B5) Visible on Aer tions: Present? esent? esent? eary fringe)	ial Imagery (B Yes Yes Yes	Water-Sta Aquatic F Hydrogen Oxidized Presence Recent In Thin Muc Fiddler Ci Other (Ex	ained Leave: auna (B13) a Sulfide Odd Rhizosphere of Reduced on Reduction k Surface (C rab Burrows plain in Ren Depth (inch Depth (inch	or (C1) es on L I Iron ((n in Till C7) (C10) narks) nes): nes): nes):	C4) led Soils	oots (C3)	Surface Spars Draina Dry-S Satura Geom Shallc FAC-N	ce Soil Crackely Vegetate age Patterns eason Water ation Visible orphic Positi w Aquitard (Neutral Test	is (B6) d Concave S (B10) Table (C2) on Aerial Ima on (D2) D3) (D5)	Surface (B8

/EGETATION Continued – Use		-		Sampling Point:
Tree Stratum	Absolute % Cover	Dominant Species?	Indicator Status	Definitions of Vegetation Strata:
6				
7				Tree – Woody plants 3 in. (7.6 cm) or more in diameter
				at breast height (DBH), regardless of height.
9				Sapling/Shrub – Woody plants less than 3 in. DBH
10.				and greater than or equal to 3.28 ft (1 m) tall.
11.				Herb – All herbaceous (non-woody) plants, including
12.				herbaceous vines, regardless of size, and woody plan
13.				less than 3.28 ft tall.
		=Total Cover		Woody Vine – All woody vines greater than 3.28 ft in
Sapling/Shrub Stratum				height.
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
		=Total Cover		
Herb Stratum				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
		=Total Cover		
Woody Vine Stratum		10.0.		
				
3. 4.				
5.				
6.				
J				

AGENCY DISCLOSURE NOTIFICATION

The public reporting burden for this collection of information, OMB Control Number 0710-0024, is estimated to average 30 minutes per response, including the timefor reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or burden reduction suggestions to the Department of Defense, Washington Headquarters Services, at whs.mc-alex.esd.mbx.dd-dod-information-collections@mail.mil. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR REQUEST TO THE ABOVE EMAIL.

PRIVACY ACT STATEMENT

Authorities: Rivers and Harbors Act, Section 10, 33 USC 403; Clean Water Act, Section 404, 33 USC 1344; Marine Protection, Research, and Sanctuaries Act, Section 103, 33 USC 1413; Regulatory Programs of the Corps of Engineers; Final Rule 33 CFR 320-332. Principal Purpose: Information provided on this form will be used in evaluating the application for a permit. Routine Uses: This information may be shared with the Department of Justice and other federal, state, and local government agencies, and the public and may be made available as part of a public notice as required by Federal law. Submission of requested information is voluntary, however, if information is not provided the permit application cannot be evaluated nor can a permit be issued. One set of original drawings or good reproducible copies which show the location and character of the proposed activity must be attached to this application (see sample drawings and/or instructions) and be submitted to the District Engineer having jurisdiction over the location of the proposed activity. An application that is not completed in full will be returned. System of Record Notice (SORN). The information received is entered into our permit tracking database and a SORN has been completed (SORN #A1145b) and may be accessed at the following website: http://dpcld.defense.gov/Privacy/SORNsIndex/DOD-wide-SORN-Article-View/Article/570115/a1145b-ce.aspx