DEPARTMENT OF THE ARMY
US Army Corps of Engineers
Washington, DC 20314-1000

EM 1110-1-1000

CECW-CE

Manual
No. 1110-1-1000

30 April 2015

Engineering and Design
PHOTOGRAMMETRIC AND LIDAR MAPPING

TABLE OF CONTENTS

		Paragraph	Page
Chapter 1.	Introduction		
	Purpose……	1-1	1-1
	Applicability……...	1-2	1-1
	Distribution ……	1-3	1-1
	References ……..	1-4	1-1
	Mandatory Requirements……	1-5	1-1
	Scope……...	1-6	1-1
	Standards……	1-7	1-2
	Specifications……..	1-8	1-3
	Due Diligence…….	1-9	1-4
	Metrics……	1-10	1-6
	Using this Manual……...	1-11	1-6
	Trade Names……...	1-12	1-9
	Manual Development and Proponency……	1-13	1-9
Chapter 2.	Photogrammetry and Remote Sensing		
	Introduction……	2-1	2-1
	Aerial Photogrammetry……...	2-2	2-1
	Satellite Photogrammetry……...	2-3	2-6
	Aerial LiDAR…….	2-4	2-8
	Interferometric Synthetic Aperture Radar (IFSAR)……...	2-5	2-13
	Summary…….	2-6	2-16
Chapter 3.	Applications and Accuracy Standards		
	Purpose……	3-1	3-1
	USACE Accuracy Standards for Photogrammetry and LiDAR Mapping…….	3-2	3-2
	Lineage of Map Accuracy Standards…….	3-3	3-21

		Paragraph	Page
	Accuracy Classifications for USACE Functional Applications……	3-4	3-40
	References……...	3-5	3-52
Chapter 4.	Aerial Photogrammetry		
	Fundamentals of Photogrammetry…….	4-1	4-1
	Project Specifications…….	4-2	4-14
	Aerial Photogrammetric Project Planning……..	4-3	4-21
	Ground Control……..	4-4	4-32
	Aerial Image Acquisition……	4-5	4-46
	Aerial Triangulation (AT)……...	4-6	4-51
	Digital Photogrammetric Mapping Workflow……	4-7	4-53
Chapter 5.	Satellite Photogrammetry		
	General……	5-1	5-1
	High- and Medium-Resolution Commercial Imaging Satellites……..	5-2	5-1
	Common Applications of Satellite Photogrammetry……..	5-3	5-1
	Geo-positioning……..	5-4	5-7
	Creating Satellite Imagery Stereo Pairs……..	5-5	5-9
	Ten Things to Consider in Buying Optical Satellite Imagery……...	5-6	5-11
	More Things to Consider Before Buying Satellite Imagery……...	5-7	5-18
Chapter 6.	Airborne Topographic LiDAR		
	Technology Overview…….	6-1	6-1
	Project Specifications…….	6-2	6-6
	Project Planning……..	6-3	6-9
	LiDAR Data Processing and Product Development……..	6-4	6-17
Chapter 7.	Airborne LiDAR Bathymetry		
	Background……...…….	7-1	7-1
	Technology…… ……...	7-2	7-2

		Paragraph	Page
	Planning an ALB Project……	7-3	7-4
	Specify the Acquisition Requirements……...…….....	7-4	7-8
	Define the Deliverables……...	7-5	7-13
	Sample Scope of Work and Cost Estimate…….	7-6	7-20
	References…….……..	7-7	7-21
Chapter 8.	Project Planning		
	General……	8-1	8-1
	Technical Specifications…….	8-2	8-1
	Data Acquisition Planning……..	8-3	8-1
	Photogrammetric Mapping Production Workflow…….	8-4	8-2
	LiDAR Mapping Production Workflow…….	8-5	8-3
	Collaboration……..	8-6	8-4
	Data Mining……	8-7	8-5
	Summary of Deliverables for Photogrammetric Projects..	8-8	8-6
	Summary of Deliverables for LiDAR Projects……..	8-9	8-9
	Sample Project Checklist……	8-10	8-12
	Quality Assurance and Quality Control (QA/QC)…….	8-11	8-14
Chapter 9.	Contracting and Cost Estimating		
	Contracting Considerations…….	9-1	9-1
	Cost Estimation Considerations……..	9-2	9-5
	Qualifications-Based Selection (QBS) for Professional Mapping Services……...	9-3	9-28

Appendices Page

A References…… A-1

B Planimetric and Topographic Feature Depiction Specifications……. B-1

C ASPRS Positional Accuracy Standards for Digital Geospatial Data……... C-1

D Guide Specification for Photogrammetric Mapping and Aerial Photography Services…… D-1

E USGS Lidar Base Specification Version 1.2……... E-1

F Example Scope of Work for Aerial Photography, Digital Orthophotography and Planimetric Feature Collection……. F-1

G Example Scope of Work for Aerial Lidar and Digital Orthophotography Data Collection…… G-1

H Example Scope of Work for Hyperspectral Image Acquisition for Delineating Permafrost and Ground State Conditions…… H-1

I Example Scope of Work for a JALBTCX Project……..... I-1

Glossary…….…Glossary-1

List of Figures

Number	Subject	Page
Figure 2-1	Digital orthophoto……..	2-2
Figure 2-2	Planimetric map…….	2-2
Figure 2-3	Topographic map with planimetric features, contours, spot heights…….	2-3
Figure 2-4	Topographic map with orthophoto base map……	2-3
Figure 2-5	Topographic maps and hillshade map……	2-4
Figure 2-6	WorldView2 image with ½ meter pixel resolution……	2-6
Figure 2-7	Satellite images before and after tornado in Moore, OK……...	2-7
Figure 2-8	Digital surface model (DSM) from satellite stereo imagery…….	2-8
Figure 2-9	Gridded digital elevation model (DEM) color-coded by elevation……...	2-9
Figure 2-10	DEM efficient file storage…….	2-9
Figure 2-11	Irregularly-spaced LiDAR mass points, breaklines and gridded DEM….	2-9
Figure 2-12	LiDAR intensity returns from laser pulses……	2-9
Figure 2-13	Profile from topographic LiDAR……..	2-9
Figure 2-14	Topobathymetric LiDAR mapping subsurface bathymetric surface…….	2-9
Figure 2-15	Digital surface model (DSM) and digital terrain model (DTM)……	2-10
Figure 2-16	LiDAR point cloud tree height map……..	2-10
Figure 2-1.	LiDAR DSM of urban area……	2-10
Figure 2-18	LiDAR DTM of urban area……	2-10
Figure 2-19	Contours produced from LiDAR……...	2-10
Figure 2-20	LiDAR hillshade map……	2-10
Figure 2-21	LiDAR slope map……..	2-11
Figure 2-22	LiDAR aspect map…….	2-11
Figure 2-23	LiDAR viewshed map……	2-11
Figure 2-24	LiDAR watersheds, stream networks and hillshading……...	2-11
Figure 2-25	Orthophoto of densely vegetated area in Florida penetrated by LiDAR..	2-12
Figure 2-26	Color-coded 1-foot contour elevation bands from LiDAR in Florida…...	2-12
Figure 2-27	IFSAR digital surface model (DSM)……	2-14
Figure 2-28	IFSAR digital terrain model (DTM)…….	2-14
Figure 2-29	IFSAR orthorectified radar image (ORI)……..	2-14
Figure 2-30	IFSAR hydro mask and hydrographic breaklines…….	2-14
Figure 2-31	RapidEye 5-m color satellite image with clouds……...	2-15
Figure 2-32	RapidEye image merged with IFSAR ORI to map through clouds……..	2-15
Figure 2-33	RapidEye image pan-sharpened with IFSAR ORI to higher resolution…	2-15
Figure 3-1	LiDAR error histogram, showing normal distribution except for outliers	3-17
Figure 4-1	Principles of photogrammetry, how to map in 3-D……...	4-1
Figure 4-2	Multiplex projectors used for analog optical projection of 3-D geometry	4-11
Figure 4-3	Multiplex projectors showing stereo model and map manuscript…….	4-11
Figure 4-4	Wild A8 Autograph used for analog optical/mechanical projection…….	4-11

Number	Subject	Page
Figure 4-5	Wild BC2 analytical stereoplotter and point marking device……	4-13
Figure 4-6	Aerial Triangulation (AT) block with pass points and tie points……..	4-13
Figure 4-7	Digital stereo photogrammetric workstation, softcopy photogrammetry.	4-14
Figure 4-8	Spectral bands from digital mapping cameras……..	4-22
Figure 4-9	Color image pan-sharpened with higher-resolution panchromatic image.	4-22
Figure 4-10	Frame camera with rectangular images and 60% forward overlap……..	4-23
Figure 4-11	Pushbroom camera with lines of pixels looking forward, back and down	4-23
Figure 4-12	Z/I Digital Mapping Camera DMC IIe (digital frame camera)…….	4-25
Figure 4-13	Microsoft UltraCam Eagle camera (digital frame camera)……...	4-25
Figure 4-14	Leica ADS-40 Airborne Digital Sensor (pushbroom camera)……..	4-25
Figure 4-15	Flight map with pre-planned flight lines and photo centers……..	4-31
Figure 4-16	National Geodetic Survey (NGS) data sheet showing network accuracy.	4-33
Figure 4-17	Painted photo control target……..	4-34
Figure 4-18	Removable photo control panels……..	4-34
Figure 4-19	GPS survey of photo control or QA/QC check point……	4-35
Figure 4-20	Photo-identification of photo control or QA/QC check point……..	4-35
Figure 4-21	Von Gruber points for location of pass points and tie points……	4-36
Figure 4-22	Airborne GPS for direct georeferencing of imagery…….	4-41
Figure 4-23	Orthophoto tile index map…….	4-50
Figure 4-24	Photogrammetric mapping workflow through aerial triangulation……...	4-54
Figure 4-25	Photogrammetric mapping workflow after aerial triangulation……	4-54
Figure 5-1	Overlapping satellite image scenes with clouds……	5-4
Figure 5-2	Tonally balanced orthomosaic produced with cloud patching……..	5-4
Figure 5-3	Satellite imagery used for vector feature extraction of planimetrics…….	5-5
Figure 5-4	Multispectral and infrared imagery……	5-6
Figure 5-5	Vegetation classification map……	5-6
Figure 5-6	Epipolar geometry from satellite stereo imagery……...	5-8
Figure 5-7	Satellite stereo image acquisition……..	5-9
Figure 5-8	Epipolar plane, asymmetry, convergence and bisector elevation angles.	5-10
Figure 5-9	Relationships between stereo convergence angles and base/height ratios	5-11
Figure 5-10	Satellite image with 5-meter resolution…….	5-12
Figure 5-11	Satellite image with 1-meter resolution…….	5-12
Figure 5-12	Off-nadir satellite pointing agility…….	5-13
Figure 5-13	Sun elevation angles and illumination conditions for satellite imagery…	5-13
Figure 5-14	Dynamic range adjustment off……..	5-15
Figure 5-15	Dynamic range adjustment on……	5-15
Figure 5-16	RapidEye's constellation approach for cumulative swaths……	5-16
Figure 6-1	Airborne LiDAR technologies for location and orientation……..	6-1
Figure 6-2	Scanning pattern produced by an oscillating mirror..……	6-3

Number	Subject	Page
Figure 6-3	Scanning pattern produced by a rotating mirror…..……..	6-4
Figure 6-4	Scanning pattern produced by a push broom fiber scanning pattern…….	6-4
Figure 6-5	Scanning pattern produced by a Palmer or elliptical scanning pattern…..	6-4
Figure 6-6	Spectral reflectance of common landscape materials……..…..	6-6
Figure 6-7	LiDAR flight map showing pre-planned flight lines…….	6-12
Figure 6-8	Airborne GPS and IMU for LiDAR sensor positioning and orientation...	6-14
Figure 6-9	National Geodetic Survey (NGS) data sheet showing network accuracy.	6-14
Figure 6-10	Dispersed survey of QA/QC checkpoints……..	6-15
Figure 6-11	Cluster survey of QA/QC checkpoints……..	6-15
Figure 6-12	Table of contents for a sample LiDAR acquisition report…….	6-21
Figure 6-13	Table of contents for a sample LiDAR project report……..	6-22
Figure 7-1	Example of Airborne topobathy LiDAR collection.…….	7-2
Figure 7-2	ALB operating principles……...	7-3
Figure 7-3	Hurricane Sandy volume change map…….……..	7-5
Figure 7-4	Lake Ontario digital elevation models……..……	7-15
Figure 7-5	CZMIL ALB depth difference with no depth biases.....……..	7-18
Figure 7-6	CZMIL ALB vs multibeam depth difference……	7-19
Figure 8-1	Photogrammetric mapping production flow diagram through AT……	8-2
Figure 8-2	Photogrammetric mapping production flow diagram after AT…….	8-3
Figure 8-3	LiDAR mapping production flow diagram……...	8-4

List of Tables

Table 3-1	Horizontal Accuracy Standards for Digital Geospatial Data…….	3-2
Table 3-2	Vertical Accuracy Standards for Digital Geospatial Data…….	3-3
Table 3-3	Common Horizontal Accuracy Classes…….	3-4
Table 3-4	Digital Orthoimagery Accuracy Example (Metric Units)…….	3-6
Table 3-5	Digital Orthoimagery Accuracy Example (English Units)……	3-7
Table 3-6	Horizontal Accuracy Standards for Planimetric Data (Metric Units)…...	3-8
Table 3-7	Horizontal Accuracy Standards for Planimetric Data (English Units)….	3-9
Table 3-8	Vertical Accuracy/Quality Examples (Metric Units)……	3-11
Table 3-9	Vertical Accuracy/Quality Examples (English Units)……..	3-11
Table 3-10	Vertical Accuracy and Recommended LiDAR Point Density (Metric)…	3-12
Table 3-11	Vertical Accuracy and Recommended LiDAR Point Density (English).	3-12
Table 3-12	Recommended number of check points based on area……..	3-13
Table 3-13	Example spreadsheet for horizontal accuracy testing of orthophotos…	3-15
Table 3-14	Traditional accuracy statistics for example elevation dataset……	3-18
Table 3-15	Comparison of NSSDA and NDEP accuracy statistics with USGS V1.0.	3-18
Table 3-16	Comparison of FVA, SVA and CVA with new NVA and VVA statistics……..	3-18

Number	Subject	Page
Table 3-17	Comparison of ASPRS 2014 horizontal accuracy standards with legacy standards…….	3-21
Table 3-18	NMAS horizontal accuracy standards for common map scales……	3-22
Table 3-19	NMAS vertical accuracy standards for common contour intervals……	3-22
Table 3-20	ASPRS 1990 horizontal accuracy standards……	3-24
Table 3-21	ASPRS 1990 vertical accuracy standards……	3-24
Table 3-22	Comparison of horizontal accuracy standards: NMAS and ASPRS 1990.	3-25
Table 3-23	Comparison of vertical accuracy standards: NMAS and ASPRS 1990….	3-25
Table 3-24	Comparison of horizontal accuracy standards: NMAS and NSSDA…….	3-27
Table 3-25	Comparison of vertical accuracy standards: NMAS and NSSDA…….	3-27
Table 3-26	FEMA vertical accuracy requirement as function of flood risk and slope	3-35
Table 3-27	Recommended surveying and mapping specifications for:	
“	Military construction activities.....……	3-41
“	Civil works design, construction, operations and maintenance activities..	3-44
“	Real estate activities (acquisition, disposal, management, audit)……	3-48
“	Hazardous, toxic & radioactive waste site investigation and cleanup…	3-49
“	Emergency operations management activities……	3-49
Table 4-1	Digital orthoimagery accuracy examples from current metric cameras..	4-38
Table 4-2	Horizontal accuracy standards for digital geospatial data……	4-39
Table 4-3	Comparison of ASPRS 2014 horizontal accuracy/quality examples with ASPRS 1990 and NMAS……..…….	4-39
Table 4-4	Vertical accuracy standards for digital elevation data……	4-40
Table 4-5	Vertical accuracy/quality examples for digital elevation data……..	4-40
Table 4-6	Minimum closure standards for horizontal control surveys……	4-44
Table 4-7	Minimum closure standards for vertical control surveys……	4-44
Table 4-8	Recommended number of check points based on area……	4-45
Table 5-1	Comparison of high- & medium-resolution commercial imaging satellites…….	5-2
Table 6-1	Operational parameters for LiDAR data collection……	6-11
Table 6-2	Accuracy and point spacing for three common LiDAR quality levels…	6-19
Table 7-1	LAS format LiDAR classification scheme for topobathymetric data….	7-14
Table 9-1	Contracting and technical factors that impact cost, schedule, complexity	9-6